




DIMENSIONS (mm / inch)

SIZE	D	L	M	H	h	S	W	P	E	G	T	F	Torques(kg-cm)
1/2"	12.7	60.8	110	48	15	23.5	M5	12.7	21.5	M8	5	6.5	60
	0.5	2.39	4.33	1.89	0.59	0.93		0.5	0.85		0.20	0.26	
3/4"	15	68.2	110	51	20	23.5	M5	12.7	18.8	M8	5	6.5	90
	0.59	2.69	4.33	2.01	0.79	0.93		0.5	0.74		0.20	0.26	
1"	20	84.4	127	56	22	28.5	M5	19	23.5	M10	6.5	9	125
	0.79	3.32	5.00	2.20	0.87	1.12		0.75	0.93		0.26	0.35	
1-1/4"	25	90.8	155	63.5	26	35	M5	22.2	29	M12	8	11	185
	0.98	3.57	6.10	2.5	1.02	1.38		0.87	1.14		0.31	0.43	
1-1/2"	31.8	106.8	155	69.5	31	38.1	M5	23.8	29.7	M12	8	11	305
	1.25	4.20	6.10	2.74	1.22	1.50		0.94	1.17		0.31	0.43	
2"	38.1	118.5	188	84	39	38.1	M5	23.8	36.9	M14	9.7	13.5	510
	1.50	4.67	7.40	3.31	1.54	1.50		0.94	1.45		0.38	0.53	

